

# David Patin

Has Successfully Completed all Requirements for

### Magnetic Particle Inspection Level II Testing

Meeting all Standards Set Forth and Established by ASNT SNT-TC-1A and Bottom Hole Assurance, Inc. Standard Operating Procedures.

Given this 23rd Day of March 2022
Certification expires on 23rd Day of March 2027

William Brandon Projean Certificate #177619

ASNT Level III

Dwayne Gary

BHA Inc. President



## David Patin

Has Successfully Completed all Requirements for

Liquid Penetrant Level II Testing

Meeting all Standards Set Forth and Established by SNT-TO-1A Latest Edition and Bottom Hole Assurance, Inc. Standard Operating Procedures Latest Edition.

Given this 23rd Day of August 2022

Certification expires on 23rd Day of August 2027

William Brandon Prejean

**ASNT Level III Certificate #177619** 

Dwayne Gary

BHA Inc. President



## David Patin

Has Successfully Completed all Requirements for

## Ultrasonic Thickness Measurement Testing Level II

Meeting all Standards Set Forth and Established by ASNT SNT-TC-1A and Bottom Hole Assurance, Inc. Standard Operating Procedures.

Given this <u>16th</u> Day of <u>February 2023</u> Certification expires on <u>16th</u> Day of <u>February 2028</u>

Derrick Mayo Certificate #148577

**ASNT Level III** 

Dwayne Gary

BHA Inc. President



### David Patin

Has Acceptable Vision According to ASNT SNT-TC-1A / BHA SOP WP Guidelines

Given this 28th Day of November 2023

Expires last day of the month of November 2024

**Test Equipment** 

Jaeger J-1 Letters

Pseudo-Isochromatic Color Plates

Requires corrected vision to read Jaegar J1

Results

Acceptable

Acceptable

NO

Administered By

Willin Brank Pryce

William Brandon Prejean ASNT NDT Level III Certificate # 177619 Eye Exam dated 8/10/2023 MedXCel